


King Pad



Product Features:

- 100% aluminium cabinet design, porcelain look, light weight.
- Ultra-slim, only take up a little space, and can be placed arbitrarily, without environment restrictions even if the space is narrow.
- Access for wired, WIFI, 4G remote network control, convenient maintenance.
- Show high-definition and meticulous picture, support picture, PPT, Flash, video, etc.

Product Diagram(Unit:mm)



Product Specifications

Items	Parameter	
Model number	K2	K3
Pixel pitch	2.8mm	3.9mm
LED type	SMD2020(Black)	SMD2020(Black)
Pixel configuration	1R1G1B	1R1G1B
Size of module	250mm*250mm	250mm*250mm
Resolution of module	88*88	64*64
Density	123904 dots/m ²	65536 dots/m ²
Cabinet material	Alu	Alu
Size of cabinet	514mm*1624mm*46mm / 514mm*1874mm*46mm	514mm*1624mm*46mm / 514mm*1874mm*46mm
Weight of cabinet	22KG / 25KG	22KG / 25KG
Support hanging or not	Yes	Yes
Best viewing distance	>3m	>4m
Best viewing angle	140°	
Max power consumption	700W/m ²	
Average power consumption	250W/m ²	
Colors	16.7M	
Gray scale	16bits	
Color temperature	3000-10000K	
Driving method	1/22 scanning	1/16 scanning
Refresh frequency	2000Hz	
Frame frequency	60Hz	
Control method	Asynchronization	
Driving device	Constant current	
Brightness	900cd/m ²	900cd/m ²
Working voltage	AC220V/110V ± 10%	
Working temperature	-20°C-50°C ± 10%	
Out-of control point	<0.0001	
Brightness control	256 grade	
Transmission	Wifi / Lan / 4G	
Mtbf	10,000Hours	
Life span	100,000Hours	